



Rajdeep Machine Tools



Mr. Rajdeep Kareliya
Proprietor

About Us

Established in the year 1995, Rajdeep Machine Tools is named as the foremost Manufacturer and Supplier firm has stayed true to a simple idea of serving the best in class by offering high performing Hydraulic Press Machine and coins. Owing to our journey of ten successful years, we take pride in serving the broadest portfolio of next generation machinery, including Hydraulic Press Machines, C-Type Hydraulic Press Machines, and H Type Hydraulic Press Machine. Our commitment to quality inspires us every day to bring forth finest range of machinery that is well favored for its robust construction, unique mechanism, ease of operation and hassle free maintenance.

We help our prestigious clients to reach their business goals by furnishing the best quality machines that function on lower operating costs and can be availed from us at competitive price. We encourage wellness and empowerment of our dedicated team members that are highly experienced and ambitious to develop machines with new and improved features. To optimize their potentials we have made substantial investments in our infrastructural set up that boosts our technological adeptness and operational excellence. Further, we are accountable to deliver every product right on time that truly helped us to enlarge our commercial footprint.

Our leader and mentor Mr. Rajdeep Kareliya is an avid businessman. He is extensively experienced and backed with rich skills set. His guidance encourages us to maintain long lasting relationship with our prestigious clientele.



BLANKING PRESS C20

- ▲ Model type : RMT-FT-C20
- ▲ Capacity : 20 ton.
- ▲ Cylinder : Steel rod 80mm.
- ▲ Cylinder Stroke : 100 mm
- ▲ Oil Capacity : 40 litre
- ▲ Electricals : 2 HP Single Pump
- ▲ Color : White & Yellow combo.
- ▲ Gold Coin Cutting Up to : 10 Grams - 100 Grams.



RMT-FT-H40T

- ▲ Model type : RMT-FT-H40
- ▲ Capacity : 40 ton.
- ▲ Cylinder : Steel rod 100mm.
- ▲ Cylinder Stroke : 100 mm Stroke
- ▲ Oil Capacity : 40-50 litre
- ▲ Electricals : 2 HP Single Pump
- ▲ Color : White & Yellow combo.
- ▲ Gold Coin Embossing Up to : 1 Milligram - 10 Grams.
- ▲ Silver Coin Embossing Up to : 1 Milligram - 5 Grams.



RMT-FT-H60

- ▲ Model type : RMT-FT-H60
- ▲ Capacity : 60 ton.
- ▲ Cylinder : Steel rod 120mm.
- ▲ Cylinder Stroke : 100mm Stroke
- ▲ Oil Capacity : 40-50 litre
- ▲ Electricals : 3 HP Single Pump
- ▲ Color : White & Yellow combo.
- ▲ Gold Coin Embossing Up to : 1 Milligram - 20 Grams.
- ▲ Silver Coin Embossing Up to : 1 Milligram - 10 Grams.



RMT-FT-H80

- ▲ Model type : RMT-FT-H80
- ▲ Capacity : 80 ton.
- ▲ Cylinder : Steel rod 130mm.
- ▲ Cylinder Stroke : 100mm
- ▲ Oil Capacity : 50-60 litre
- ▲ Electricals : 5 HP Single Pump
- ▲ Color : White & Yellow combo.
- ▲ Silver Brick : 30 - 35 Kilogram



RMT-FT-H100

- ▲ Model type : RMT-FT-H100
- ▲ Capacity : 100 ton.
- ▲ Cylinder : Steel rod 150mm.
- ▲ Cylinder Stroke : 125mm Stroke
- ▲ Oil Capacity : 80 litre
- ▲ Electricals : 3 HP Dual Pump
- ▲ Color : White & Yellow combo.
- ▲ Gold Coin Embossing Up to : 1 Milligram - 50 Grams.
- ▲ Silver Coin Embossing Up to : 1 Milligram - 30 Grams.



RMT-FT-H150

- ▲ Model type : RMT-FT-H150
- ▲ Capacity : 150 ton.
- ▲ Cylinder : Steel rod 170mm.
- ▲ Cylinder Stroke : 150mm Stroke
- ▲ Oil Capacity : 100 – 150 litre
- ▲ Electricals : 5 HP Dual Pump
- ▲ Color : White & Yellow combo.
- ▲ Gold Coin Embossing Up to : 10 – 100 Grams.
- ▲ Silver Coin Embossing Up to : 10 – 50 Grams.



RMT-FT-H200

- ▲ Model type : RMT-FT- H200
(with auto-eject and HMI Display)
- ▲ Capacity : 200 ton.
- ▲ Cylinder : Steel rod 200 mm.
- ▲ Cylinder Stroke : 150 mm
- ▲ Strokes per emboss : 5 strokes
- ▲ Oil Capacity : 125 litre
- ▲ Electricals : 7.5 HP Dule Pump
- ▲ Color : White & Blue combo.
- ▲ Gold Coin Embossing Up to : 10 Grams - 200 Grams.
- ▲ Silver Coin Embossing Up to : 10 Grams - 100 Grams.



RMT-FT-H250

- ▲ Model type : RMT-FT-H250
- ▲ Capacity : 250 ton.
- ▲ Cylinder : Steel rod 225mm.
- ▲ Cylinder Stroke : 170 mm Stroke
- ▲ Oil Capacity : 150 litre
- ▲ Electricals : 7.5 HP Dual Pump.
- ▲ Color : White & Black combo.
- ▲ Gold Coin Embossing Up to : 10 Grams - 300 Grams.
- ▲ Silver Coin Embossing Up to : 10 Grams - 100 Grams



ROLL PRESS (Single Head)

- ▲ Model type : 8 x 4 Roller Press
- ▲ Roller : WPS Steel
- ▲ Capacity : 8" Length 4" width
- ▲ Electricals : 5 HP
- ▲ Oil System : Auto Oil Pumping
- ▲ Security : Emergency Stop Button



ROLL PRESS (Double Head)


- ▲ Model type : 6 x 3 Roller Press
- ▲ Roller : WPS Steel
- ▲ Capacity : 6" Length 3" width
- ▲ Electricals : 3 HP
- ▲ Security : Emergency Stop Button



Coin Dies



Vertical Pins	Capical Pins	Kon. Pins	Trical Pins	Oval Pins	V.Kon. Pins
2.0mm	3.0mm	3.5mm	4.0mm	4.5mm	5.0mm
3.0mm	4.0mm	4.5mm	5.0mm	5.5mm	6.0mm
4.0mm	5.0mm	5.5mm	6.0mm	6.5mm	7.0mm
5.0mm	6.0mm	6.5mm	7.0mm	7.5mm	8.0mm
6.0mm	7.0mm	7.5mm	8.0mm	8.5mm	9.0mm
7.0mm	8.0mm	8.5mm	9.0mm	9.5mm	10.0mm
8.0mm	9.0mm	9.5mm	10.0mm	10.5mm	11.0mm
9.0mm	10.0mm	10.5mm	11.0mm	11.5mm	12.0mm
10.0mm	11.0mm	11.5mm	12.0mm	12.5mm	13.0mm
11.0mm	12.0mm	12.5mm	13.0mm	13.5mm	14.0mm
12.0mm	13.0mm	13.5mm	14.0mm	14.5mm	15.0mm
13.0mm	14.0mm	14.5mm	15.0mm	15.5mm	16.0mm
14.0mm	15.0mm	15.5mm	16.0mm	16.5mm	17.0mm
15.0mm	16.0mm	16.5mm	17.0mm	17.5mm	18.0mm
16.0mm	17.0mm	17.5mm	18.0mm	18.5mm	19.0mm
17.0mm	18.0mm	18.5mm	19.0mm	19.5mm	20.0mm
18.0mm	19.0mm	19.5mm	20.0mm	20.5mm	21.0mm
19.0mm	20.0mm	20.5mm	21.0mm	21.5mm	22.0mm
20.0mm	21.0mm	21.5mm	22.0mm	22.5mm	23.0mm
21.0mm	22.0mm	22.5mm	23.0mm	23.5mm	24.0mm
22.0mm	23.0mm	23.5mm	24.0mm	24.5mm	25.0mm
23.0mm	24.0mm	24.5mm	25.0mm	25.5mm	26.0mm
24.0mm	25.0mm	25.5mm	26.0mm	26.5mm	27.0mm
25.0mm	26.0mm	26.5mm	27.0mm	27.5mm	28.0mm
26.0mm	27.0mm	27.5mm	28.0mm	28.5mm	29.0mm
27.0mm	28.0mm	28.5mm	29.0mm	29.5mm	30.0mm
28.0mm	29.0mm	29.5mm	30.0mm	30.5mm	31.0mm
29.0mm	30.0mm	30.5mm	31.0mm	31.5mm	32.0mm
30.0mm	31.0mm	31.5mm	32.0mm	32.5mm	33.0mm
31.0mm	32.0mm	32.5mm	33.0mm	33.5mm	34.0mm
32.0mm	33.0mm	33.5mm	34.0mm	34.5mm	35.0mm
33.0mm	34.0mm	34.5mm	35.0mm	35.5mm	36.0mm
34.0mm	35.0mm	35.5mm	36.0mm	36.5mm	37.0mm
35.0mm	36.0mm	36.5mm	37.0mm	37.5mm	38.0mm
36.0mm	37.0mm	37.5mm	38.0mm	38.5mm	39.0mm
37.0mm	38.0mm	38.5mm	39.0mm	39.5mm	40.0mm
38.0mm	39.0mm	39.5mm	40.0mm	40.5mm	41.0mm
39.0mm	40.0mm	40.5mm	41.0mm	41.5mm	42.0mm
40.0mm	41.0mm	41.5mm	42.0mm	42.5mm	43.0mm
41.0mm	42.0mm	42.5mm	43.0mm	43.5mm	44.0mm
42.0mm	43.0mm	43.5mm	44.0mm	44.5mm	45.0mm
43.0mm	44.0mm	44.5mm	45.0mm	45.5mm	46.0mm
44.0mm	45.0mm	45.5mm	46.0mm	46.5mm	47.0mm
45.0mm	46.0mm	46.5mm	47.0mm	47.5mm	48.0mm
46.0mm	47.0mm	47.5mm	48.0mm	48.5mm	49.0mm
47.0mm	48.0mm	48.5mm	49.0mm	49.5mm	50.0mm
48.0mm	49.0mm	49.5mm	50.0mm	50.5mm	51.0mm
49.0mm	50.0mm	50.5mm	51.0mm	51.5mm	52.0mm
50.0mm	51.0mm	51.5mm	52.0mm	52.5mm	53.0mm
51.0mm	52.0mm	52.5mm	53.0mm	53.5mm	54.0mm
52.0mm	53.0mm	53.5mm	54.0mm	54.5mm	55.0mm
53.0mm	54.0mm	54.5mm	55.0mm	55.5mm	56.0mm
54.0mm	55.0mm	55.5mm	56.0mm	56.5mm	57.0mm
55.0mm	56.0mm	56.5mm	57.0mm	57.5mm	58.0mm
56.0mm	57.0mm	57.5mm	58.0mm	58.5mm	59.0mm
57.0mm	58.0mm	58.5mm	59.0mm	59.5mm	60.0mm
58.0mm	59.0mm	59.5mm	60.0mm	60.5mm	61.0mm
59.0mm	60.0mm	60.5mm	61.0mm	61.5mm	62.0mm
60.0mm	61.0mm	61.5mm	62.0mm	62.5mm	63.0mm
61.0mm	62.0mm	62.5mm	63.0mm	63.5mm	64.0mm
62.0mm	63.0mm	63.5mm	64.0mm	64.5mm	65.0mm
63.0mm	64.0mm	64.5mm	65.0mm	65.5mm	66.0mm
64.0mm	65.0mm	65.5mm	66.0mm	66.5mm	67.0mm
65.0mm	66.0mm	66.5mm	67.0mm	67.5mm	68.0mm
66.0mm	67.0mm	67.5mm	68.0mm	68.5mm	69.0mm
67.0mm	68.0mm	68.5mm	69.0mm	69.5mm	70.0mm
68.0mm	69.0mm	69.5mm	70.0mm	70.5mm	71.0mm
69.0mm	70.0mm	70.5mm	71.0mm	71.5mm	72.0mm
70.0mm	71.0mm	71.5mm	72.0mm	72.5mm	73.0mm
71.0mm	72.0mm	72.5mm	73.0mm	73.5mm	74.0mm
72.0mm	73.0mm	73.5mm	74.0mm	74.5mm	75.0mm
73.0mm	74.0mm	74.5mm	75.0mm	75.5mm	76.0mm
74.0mm	75.0mm	75.5mm	76.0mm	76.5mm	77.0mm
75.0mm	76.0mm	76.5mm	77.0mm	77.5mm	78.0mm
76.0mm	77.0mm	77.5mm	78.0mm	78.5mm	79.0mm
77.0mm	78.0mm	78.5mm	79.0mm	79.5mm	80.0mm
78.0mm	79.0mm	79.5mm	80.0mm	80.5mm	81.0mm
79.0mm	80.0mm	80.5mm	81.0mm	81.5mm	82.0mm
80.0mm	81.0mm	81.5mm	82.0mm	82.5mm	83.0mm
81.0mm	82.0mm	82.5mm	83.0mm	83.5mm	84.0mm
82.0mm	83.0mm	83.5mm	84.0mm	84.5mm	85.0mm
83.0mm	84.0mm	84.5mm	85.0mm	85.5mm	86.0mm
84.0mm	85.0mm	85.5mm	86.0mm	86.5mm	87.0mm
85.0mm	86.0mm	86.5mm	87.0mm	87.5mm	88.0mm
86.0mm	87.0mm	87.5mm	88.0mm	88.5mm	89.0mm
87.0mm	88.0mm	88.5mm	89.0mm	89.5mm	90.0mm
88.0mm	89.0mm	89.5mm	90.0mm	90.5mm	91.0mm
89.0mm	90.0mm	90.5mm	91.0mm	91.5mm	92.0mm
90.0mm	91.0mm	91.5mm	92.0mm	92.5mm	93.0mm
91.0mm	92.0mm	92.5mm	93.0mm	93.5mm	94.0mm
92.0mm	93.0mm	93.5mm	94.0mm	94.5mm	95.0mm
93.0mm	94.0mm	94.5mm	95.0mm	95.5mm	96.0mm
94.0mm	95.0mm	95.5mm	96.0mm	96.5mm	97.0mm
95.0mm	96.0mm	96.5mm	97.0mm	97.5mm	98.0mm
96.0mm	97.0mm	97.5mm	98.0mm	98.5mm	99.0mm
97.0mm	98.0mm	98.5mm	99.0mm	99.5mm	100.0mm





RAJDEEP MACHINE TOOLS

**Mfg. : Goldsmith Machinery
Hydraulic Coining Press & para Dies**

**16-Bhaktinagar St. Plot .
Nr. Ambica Way-Bridge,
Opp. Vishal Hotel, Rajkot - 360 004.
Phone : 0281 24661539,**

**Gunvantrai Kareliya
Rajdeep Kareliya : M. 94262 29246  : 97142 02030
Kishan Y. Chotaliya (Manager) :M.&  : 94260 29246**

**email. : rajdeepmachinetool@gmail.com,
sales@rajdeepmachinetools.in
www.rajdeepmachinetools.com**